The Department of Natural Resources is providing this report to satisfy the requirements of the "Procedures Concerning Certain Licenses Act", IC 14-11-4, and its associated administrative rule, 312 IAC 2-3. The application files are available for public inspection at the Division of Water's office in Indianapolis. Please contact the Division's Technical Services Section at (317) 232-4160 or the toll free number 1-877-928-3755 to make an appointment for file review. Photocopies may be made for a nominal charge of \$0.10 per 8 1/2 " X 11" copy.

A pre-action public hearing on an application may be requested by filing a written petition with the Director, Division of Water:

Michael W. Neyer, P.E., Director Division of Water Room W264 402 West Washington Street Indianapolis, Indiana 46204

For a petition to be considered valid it must:

- 1. Contain the typed or legibly printed name and complete mailing address of each petitioner;
- 2. Be signed by a minimum of 25 individuals who are at least 18 years old and either reside in the county where the project will take place or own real property within 1 mile of the project site;
- 3. Affirm that each signatory to the petition satisfies the requirements of item 2; and
- 4. Identify the application for which the public hearing is being requested either by the application # or the applicant's name and the project description.

A petition which does not meet these requirements will be considered invalid and the hearing request will not be granted.

A person may request that the Department provide written notice of its action on an application by filing a written request with:

Division of Water Room W264 402 West Washington Street Indianapolis, Indiana 46204

The request must identify the application by either the application # or the applicant's name and the project description.

Application # : FW-24472

Stream : Potts Ditch

Applicant : Greenfield-Central Community School Corporation

Linda Gellert

110 West North Street Greenfield, IN 46140-2172

Description : A stormwater outfall structure will be constructed along the west bank of Potts

Ditch to provide detention for the New Greenfield-Central Middle School located landward of the floodway. A 42" reinforced concrete outfall pipe will be buried to a depth of 5.5' in the floodplain. The 1600' long pipe will carry stormwater from the school area to the creek. The pipe will terminate with a concrete end section that will conform to the bank slope. A flapgate (TideFlex Check Valve) will be placed at the end of the pipe to prevent backflow into the detention pond and pipe system. An energy dissipator will be constructed at the base of the end section. The dissipator will consist of riprap. Details of the project are contained in

information received electronically at the Division of Water on September 4, 2007 and in plans and information received at the Division of Water on September 4,

2007 and September 28, 2007.

Location : Along the west bank approximately 2700' downstream of the County Road 100

North stream crossing

near Greenfield, Center Township, Hancock County

SE14, NE14, Section 30, T 16N, R 7E, Greenfield Quadrangle

Quad Code: 3908577

UTM Coordinates: Downstream 4406900 North, 604401 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-24485

Stream : Greens Fork

Applicant : Christopher Williams

7893 North Lewis Road

Williamsburg, IN 47393-9734

Description : A project to construct an addition on property is proposed. Details of the project

are contained in information and plans received at the Division of Water on

September 10, 2007 and October 1, 2007.

Location : 7893 North Lewis Road, along the west overbank approximately 100' southeast

of West Creek Road and 1300' south of W E Oler Road near Williamsburg, Greene Township, Wayne County

NE¼, SE¼, NW¼, Section 7, T 17N, R 14E, Greens Fork Quadrangle

Quad Code: 3908581

UTM Coordinates: Downstream 4423134 North, 670240 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-24498

Stream : St. Joseph River

Applicant : Michael A Prater

1733 Northside Boulevard

PO Box 7111

South Bend, IN 46634-7111

Description : Residential development for IUSB student housing is proposed south of the river.

Construction activities associated with the development that will be in the floodway will include two (2) storm detention basins with outfall systems. The western detention basin will have a bottom elevation of 683' and will have a maximum length of 284' and a maximum width of 95'. The eastern detention basin will have a bottom elevation of 684' and will have a maximum length of 162' and a maximum width of 68'. The outfall structures will terminate in concrete end sections that conform to the stream bank and they will each have a 6.5' by 5' permanent turf reinforced mat placed for energy dissipation. Details of the project are contained in information and plans received at the Division of Water on

September 17, 2007.

Location : West of Ironwood & south of the river

DOWNSTREAM: near South Bend, Portage Township, St. Joseph County SE¼, SW¼, NE¼, Section 18, T 37N, R 3E, South Bend East Quadrangle

Quad Code: 4108662

UTM Coordinates: Downstream 4612347 North, 564858 East

**UPSTREAM**:

UTM Coordinates: Upstream 4612433 North, 565321 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-24504

Stream : McCann Creek

Applicant : \*Indiana Department of Transportation

Richard L Phillabaum

100 North Senate Avenue, Room N642

Indianapolis, IN 46204-2216

Description : The existing 15' by 76' concrete culvert carrying State Route 46 over McCann

Creek has been repaired by placing a 15' by 76' corrugated aluminum box inside the estisting concrete culvert to provide additional support. The area between the existing culvert and the proposed liner has been filled with flowable concrete. Class A concrete has been poured under the exting undermined footers for additional support. Minor channel shaping occurred both downstream and upstream of the new culvert to improve the flow transition at the crossing. The

roadway has not been elevated above the pre-existing road elevations.

Guardrails were placed along each side of the roadway over the channel. Details of the project are contained in information and plans received at the Division of

Water on September 20, 2007.

Location : At the State Route 46 stream crossing

near Greensburg, Logan Township, Dearborn County

SW¼, SE¼, SW¼, Section 8, T 7N, R 1W, Cedar Grove Quadrangle

Quad Code: 3908438

UTM Coordinates: Downstream 4349655 North, 680627 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-24505

Stream : Cedar Creek

Applicant : City of Auburn

Norman Yoder, Mayor

PO Box 506

210 east 9th Street Auburn, IN 46706-2360

Description : An existing 1100' long dirt footpath will be replaced with a 10' wide by 1100' long

asphalt pedestrian trail. The new trail will be constructed at the existing ground profile. Details of the project are contained in information and plans received at

the Division of Water on September 24, 2007.

Location : Approximately 1700' upstream (northeast) of County Road 48 State Road 8

extending 900' upstream

DOWNSTREAM: near Auburn, Union Township, DeKalb County NE¼, SE¼, SW¼, Section 32, T 34N, R 13E, Auburn Quadrangle

Quad Code: 4108531

UTM Coordinates: Downstream 4580098 North, 662761 East

UPSTREAM: SE¼, NE¼, SW¼, Section 32

UTM Coordinates: Upstream 4580293 North, 662962 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-24506

Stream : Fall Creek

Applicant : Irving Materials, Inc

Brian Duncan 10959 Olio Road

Fortville, IN 46040-9628

Description : A new culvert crossing will be placed in Fall Creek to carry large mining

equipment across the stream. The new crossing will consist of 4, parallel 5' by 12' culverts. The culvert bottoms will be set below the existing channel bottom to provide a natural streambed. Details of the project are contained in information

and plans received at the Division of Water on September 24, 2007.

Location : Approximately 1820' upstream from confluence with Lick Creek.

near Fortville, Green Township, Madison County

NW¼, NW¼, NW¼, Section 4, T 17N, R 6E, Ingalls Quadrangle

Quad Code: 3908587

UTM Coordinates: Downstream 4423689 North, 597327 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

**IAC 10** 

Application # : FW-24507

Stream : Little Elkhart River

Applicant : \*Indiana Department of Transportation

Richard L Phillabaum

100 North Senate Avenue, Room N642

Indianapolis, IN 46204-2216

Description : Approximately 83' of the river's channel bed will be stabilized by placing a 48"

thick layer of riprap along the pier footing of the bridge crossing. The pier will have a maximum of 1700 square feet of riprap placed at the base. A 20' long causway will be constructed to access the pier location. Details of the project are

contained in information and plans received at the Division of Water on

September 25, 2007.

Location : At the pier footing of the US 20 bridge

near Middlebury, Middlebury Township, Elkhart County

NW1/4, NE1/4, NW1/4, Section 24, T 37N, R 7E, Middlebury Quadrangle

Quad Code: 4108566

UTM Coordinates: Downstream 4612212 North, 610711 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-24508

Stream : Elkhart River

Applicant : \*Indiana Department of Transportation

Richard L Phillabaum

100 North Senate Avenue, Room N642

Indianapolis, IN 46204-2216

Description : Approximately 43' of the river's channel bed will be stabilized by placing a 24"

thick layer of riprap along the pier footings of the bridge crossings. Each of the three (3) piers will have a maximum of 950 square feet of riprap placed around the bases. A causway with a maximum length of 125' will be constructed to access the pier locations. Details of the project are contained in information and

plans received at the Division of Water on September 25, 2007.

Location : At the pier footings of the State Road 15 bridge crossing

near Goshen, Elkhart County

SW¼, NE¼, SW¼, Section 34, T 36N, R 6E, Goshen Quadrangle

Quad Code: 4108557

UTM Coordinates: Downstream 4597873 North, 597924 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

**IAC 10** 

Application # : FW-24510

Stream : Elkhart River

Applicant : \*Indiana Department of Transportation

Richard L Phillabaum

100 North Senate Avenue, Room N642

Indianapolis, IN 46204-2216

Description : Approximately 85' of the river's channel bed will be stabilized by placing a 36"

thick layer of riprap along the pier footings of the bridge crossings. Each of the two (2) piers will have a maximum of 996 square feet of riprap placed around the bases. A causway with a maximum length of 60' will be constructed to access the

pier locations. Details of the project are contained in information and plans

received at the Division of Water on September 25, 2007.

Location : At the pier footings of the State Road 5 bridge crossing

near Ligonier, Perry Township, Noble County

SE14, SE14, SW14, Section 22, T 35N, R 8E, Ligonier Quadrangle

Quad Code: 4108545

UTM Coordinates: Downstream 4591547 North, 617951 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-24511

Stream : Mississinewa River

Applicant : \*Indiana Department of Transportation

Richard L Phillabaum

100 North Senate Avenue, Room N642

Indianapolis, IN 46204-2216

Description : Approximately 70' of the river's channel bed will be stabilized by placing a 36"

thick layer of riprap along the pier footings of the bridge crossings. Each of the ten (10) piers will have a maximum of 660 square feet of riprap placed around the bases. A causway with a maximum length of 180' will be constructed to access the pier locations. Details of the project are contained in information and plans

received at the Division of Water on September 25, 2007.

Location : At the pier footings of the adjacent northbound and southbound I-69 bridges

DOWNSTREAM: near Upland, Jefferson Township, Grant County NE¼, SW¼, SE¼, Section 7, T 23N, R 9E, Gas City Quadrangle

Quad Code: 4008545

UTM Coordinates: Downstream 4479235 North, 622967 East

**UPSTREAM**:

UTM Coordinates: Upstream 4479253 North, 622999 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-24512

Stream : Elkhart River

Applicant : \*Indiana Department of Transportation

Richard L Phillabaum

100 North Senate Avenue, Room N642

Indianapolis, IN 46204-2216

Description : The existing concrete box beam bridge carrying State Road 13 over the Elkhart

River will be replaced with a new structure on essentially the same alignment to improve traffic flow. The new structure will be a three-span continuous composite girder bridge with span lengths of 170', 170', and 170'. The structure will have an out-to-out length of 173.64' and a clear roadway width of 45.4'. The spill through abutments will have 2:1 sideslopes armored with riprap placed over geotextile fabric. The abutments and piers will be skewed 45 degrees to align with the streamflow. The new approach roads will be elevated a maximum of 5' above the existing approaches. The existing structure will be completely removed. The project is partially federally funded. Details of the project are contained in information and plans received at the Division of Water on September 25, 2007.

Location : At the State R oad 13 crossing

near Millersburg, Benton Township, Elkhart County

SW1/4, NW1/4, NW1/4, Section 11, T 35N, R 7E, Millersburg Quadrangle

Quad Code: 4108556

UTM Coordinates: Downstream 4595932 North, 609062 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-24517

Stream : East Fork Mill Creek

Applicant : Rockies Express Pipeline LLC

Alice Weekley

500 Dallas Street, Suite 1000 Houston, TX 77002-4718

Description : A 42" diameter steel natural gas pipeline will be placed beneath East Fork Mill

Creek to transport natural gas produced in the Rocky Mountain basins for delivery to other pipelines and distribution customers located in the upper Midwest and Eastern U.S. The pipeline will be placed by the open-cut construction method. It will have a minimum of 5' of cover beneath the streambed and a minimum of 3' in

the banks. Details of the project are contained in information received

electronically at the Division of Water on September 28, 2007 and in plans and

information received at the Division of Water on

Location : The pipeline will cross East Fork Mill Creek about 2.3 miles southeast of Hadley,

Indiana, about 2.9 miles northwest of Clayton, Indiana, about 1.5 miles due south of the Mill Creek Church on 250 West Road, and about 0.3 mile southeast of the

intersection of 250 West Road and 300 South Road

near Hadley, Clay Township, Hendricks County Section 30, T 15N, R 1W, Clayton Quadrangle

Quad Code: 3908665

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-24521

Stream : Unnamed Tributary East

Fork Mill Creek

Applicant : Rockies Express Pipeline LLC

Alice Weekley

500 Dallas Street, Suite 1000 Houston, TX 77002-4718

Description : A 42" diameter steel natural gas pipeline will be placed beneath Tributary to East

Fork Mill Creek to transport natural gas produced in the Rocky Mountain basins for delivery to other pipelines and distribution customers located in the upper

Midwest and Eastern U.S. The pipeline will be placed by the open-cut construction method. It will have a minimum of 5' of cover beneath the

streambed and a minimum of 3' in the banks. Details of the project are contained in information received electronically at the Division of Water on October 3, 2007

and in plans and information received at the Division of Water on

Location : The pipeline will cross the tributary to East Fork Mill Creek about 1.7 miles

southeast of Hadley, Indiana, about 0.9 mile east of the intersection of 400 West Road and 300 South Road, and about 0.4 mile west of the intersection of 250

West Road and 300 South Road

near Hadley, Clay Township, Hendricks County Section 24, T 15N, R 2W, Clayton Quadrangle

Quad Code: 3908665

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

**IAC 10** 

RASR010 11 10/04/2007 9:16 AM

Application # : FW-24523

Stream : Kankakee River

Applicant : Mr Jason Mann

24142 US Highway 421 LaCrosse, IN 46348

Description : An existing residential structure destroyed by fire will be replaced with a new

residential structure on the same foundation. Details of the project are contained in information and plans received at the Division of Water on October 3, 2007.

Location : 24142 US 421; approximately 550' west and 1,200' south from the intersection of

County Road 2400 South and US 421

near Wilders, Dewey Township, LaPorte County

SE¼, NE¼, NE¼, Section 5, T 32N, R 4W, La Crosse Quadrangle

Quad Code: 4108638

UTM Coordinates: Downstream 4567182 North, 508986 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-24524

Stream : Big Raccoon Creek

Applicant : Rockies Express Pipeline LLC

Alice Weekley

500 Dallas Street, Suite 1000 Houston, TX 77002-4718

Description : A 42" diameter steel natural gas pipeline will be placed beneath Big Raccoon

Creek to transport natural gas produced in the Rocky Mountain basins for delivery to other pipelines and distribution customers located in the upper Midwest and Eastern U.S. The pipeline will be placed by the open-cut construction method. It will have a minimum of 5' of cover beneath the streambed and a minimum of 3' in

the banks. Details of the project are contained in information received electronically at the Division of Water on October 4, 2007 and in plans and

information received at the Division of Water on

Location : The pipeline will cross Big Raccoon Creek about 2.4 miles northwest of Morton,

Indiana, about 1.7 miles northwest of the intersection of U.S. Highway 36 and 600

West Road, and about 2.0 miles west/northwest of the intersection of North

County Road 500 West and West County Road 800 near Morton, Russell Township, Putnam County Section 33, T 16N, R 5W, Russellville Quadrangle

Quad Code: 3908678

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-24525

Stream : Sand Creek

Applicant : Rockies Express Pipeline LLC

Alice Weekley

500 Dallas Street, Suite 1000 Houston, TX 77002-4718

Description : A 42" diameter steel natural gas pipeline will be placed beneath Sand Creek to

transport natural gas produced in the Rocky Mountain basins for delivery to other pipelines and distribution customers located in the upper Midwest and Eastern U.S. The pipeline will be placed by the open-cut construction method. It will have a minimum of 5' of cover beneath the streambed and a minimum of 3' in the

banks. Details of the project are contained in information received electronically at the Division of Water on October 4, 2007 and in plans and information received

at the Division of Water on

Location : The pipeline will cross Sand Creek about 0.4 mile northeast of Nyesville, Indiana,

about 2.1 miles north/northwest of the confluence of Sand Creek and Little

Raccoon Creek, and about 0.6 mile west of the intersection of County Road 160

East and County Road 189

near Nyesville, Washington Township, Parke County

Section 33, T 16N, R 7W, Rockville Quadrangle

Quad Code: 3908772

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-24526

Stream : Unnamed Tributary Sugar

Creek

Applicant : Crawfordsville Parks and Recreation

Cheryl Keim

922 East South Boulevard Crawfordsville, IN 47933-3777

Description : Approximately 160' of an unnamed tributary's eroded west streambank will be

stabilized with riprap, dumped from the top of the bank, to protect it from further erosion. The riprap will be keyed into the streambed at its base and will conform to the existing bank at the project limits. It will have a maximum height of 29', a maximum streamward projection of 16' beyond the existing bank, and 1.5:1 sideslopes. In the area of the maximum projection, the riprap will extend across the entire low flow channel. The east bank will be excavated to relocate the channel to allow the construction of a stable riprap slope. Details of the project are contained in information received electronically at the Division of Water on October 4, 2007 and in plans and information received at the Division of Water on

Location : The west bank of an unnamed tributary of Sugar Creek approximately 750'

(measured along the stream) upstream of its junction with Sugar Creek

It is also approximately 600 feet northwest of the Old New York Railroad Trestle,

over Sugar Creek, along the abandoned New York Railroad, now the Sugar

Creek Trail.

near Crawfordsville, Union Township, Montgomery County

Section 34, T 19N, R 5W, Crawfordsville Quadrangle

Quad Code: 4008618

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-24527

Stream : Byrd Branch

Applicant : Rockies Express Pipeline LLC

Alice Weekley

500 Dallas Street, Suite 1000 Houston, TX 77002-4718

Description : A 42" diameter steel natural gas pipeline will be placed beneath Byrd Branch to

transport natural gas produced in the Rocky Mountain basins for delivery to other pipelines and distribution customers located in the upper Midwest and Eastern U.S. The pipeline will be placed by the open-cut construction method. It will have a minimum of 5' of cover beneath the streambed and a minimum of 3' in the banks. Details of the project are contained in information received electronically at the Division of Water on October 4, 2007 and in plans and information received

at the Division of Water on

Location : The pipeline will cross Byrd Branch about 4.1 miles east/northeast of

Hollandsburg, Indiana, about 0.7 mile northeast of Portland Mills, about 250 feet south of the intersection of Byrd Branch and W 850 N, and about 0.8 mile due east of the intersection of County Road 1170 East and County Road 150 North

near Hollandsburg, Russell Township, Putnam County

Section 31, T 16N, R 5W, Bellmore Quadrangle

Quad Code: 3908771

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : NW-66

Stream : St. Joseph River

Applicant : Roger Sonnenburg

219 Livingston Bay Court Mishawaka, IN 46544-3897

Description : A steel sheet piling retaining wall will be constructed across 30' of the applicant's

frontage. The wall will have a height of 32" as measured from the riverbed, and will extend a maximum of 2' streamward of the existing bank. The area landward of the proposed wall will be backfilled and leveled with the top of the wall. Dead men will be placed every 9' along the new wall, and a drain line will be installed to allow for drainage. Details of the project are contained in information and plans received at the Division of Water on June 19, 2007, July 9, 2007 and September

13, 2007.

Location : 219 Livingston Bay Court

near Mishawaka, Penn Township, St. Joseph County

SE1/4, SW1/4, SE1/4, Section 12, T 37N, R 3E, Osceola Quadrangle

Quad Code: 4108661

UTM Coordinates: Downstream 4613078 North, 572953 East

Statute/Rule : Navigable Waterway Act, IC 14-29-1, with the associated Navigable Waterway

Rule, 312 IAC 6

Application # : PL-20882

Lake : Witmer Lake

Applicant : Kathy Ohare

7890 South 150 East

Wolcottville, IN 46795-9227

Description : An existing concrete seawall will be refaced across 57' of the applicant's frontage.

The reface layer will consist of 8 gauge galvanized steel sheet piling installed a maximum of 6" lakeward of the toe of the existing seawall. Details of the project are contained in information and plans received at the Division of Water on

September 17, 2007 and September 28, 2007.

Location : 7890 South 150 East

near Wolcottville, Johnson Township, LaGrange County

SE1/4, SE1/4, SW1/4, Section 32, T 36N, R 10E, Oliver Lake Quadrangle

Quad Code: 4108554

UTM Coordinates: Downstream 4598541 North, 633788 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Application # : PL-20884

Lake : Clear Lake

Applicant : James A Martella

1016 Lake Drive Clear Lake Fremont, IN 46737-9566

Description : An existing 19' glacial stone seawall will be replaced with a new concrete seawall

constructed across 19' of the applicant's frontage. The lakeward face of the wall will be located along the lake's legal shoreline. The existing glacial stone seawall will be completely removed. Details of the project are contained in information

and plans received at the Division of Water on September 17, 2007.

Location : 1016 Lake Drive

near Fremont, Clear Lake Township, Steuben County

SE1/4, SE1/4, SW1/4, Section 19, T 38N, R 15E, Clear Creek Quadrangle

Quad Code: 3908615

UTM Coordinates: Downstream 4622231 North, 678650 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Rule, 312 IAC 11

Application # : PL-20885

Lake : Witmer Lake

Applicant : Ken Bergstrom

7880 South 150 East

Wolcottville, IN 46795-9227

Description : An existing concrete seawall will be refaced across 50' of the applicant's frontage.

The reface layer will consist of 8 gauge galvanized steel sheet piling installed a maximum of 6" lakeward of the toe of the existing seawall. Details of the project are contained in information and plans received at the Division of Water on

September 17, 2007 and September 28, 2007.

Location : 7880 South 150 East

near Wolcottville, Johnson Township, LaGrange County

SE1/4, SE1/4, SW1/4, Section 32, T 36N, R 10E, Oliver Lake Quadrangle

Quad Code: 4108554

UTM Coordinates: Downstream 4598546 North, 633786 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Application # : PL-20886

Lake : Syracuse Lake

Applicant : Walter and Andy Young

101 North Front Street Syracuse, IN 46567-1305

Description : An existing concrete seawall will be refaced with a layer of concrete across 98' of

the applicant's 98' frontage. The reface layer will be keyed to the wall's lakeward face. Glacial stone will be placed at the walls base for toe protection. Details of the project are contained in information and plans received at the Division of

Water on September 17, 2007.

Location : 101 N Front Street

near Syracuse, Turkey Creek Township, Kosciusko County

SW1/4, SE1/4, SW1/4, Section 5, T 34N, R 7E, Lake Wawasee Quadrangle

Quad Code: 4108546

UTM Coordinates: Downstream 4586500 North, 604889 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Rule, 312 IAC 11

Application # : PL-20891

Lake : Backwater Lake

Applicant : Albert Jones

33 EMS W23 Lane

North Webster, IN 46555-9525

Description : A new seawall will be constructed across 20' of the 20' frontage of the applicant

along Backwater Lake to deter shoreline erosion. The wall will consist of

reinforced poured in place concrete which will be sloped on the lakeward side. It will be 48" high and will vary uniformly in thickness from 13" to 30" from the base

to the top. The lakeward face of the wall will be at the lake's average normal

shoreline. Details of the project are contained in information received

electronically at the Division of Water on October 4, 2007 and in plans and

information received at the Division of Water on

Location: 33 EMS W23 LN; Lots 7, 8 and 9 Backwater Gardens

near North Webster, Tippecanoe Township, Kosciusko County

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Application # : PL-20892

Lake : Silver Lake

Applicant : Doris Weesner

10279 South Edgewater Street Silver Lake, IN 46982-9177

Description : An existing concrete seawall will be refaced across a portion of the 40' frontage of

the applicant on Silver Lake to prevent deterioration. The refacing will consist of poured in place concrete which will be tied to the existing wall with 1/2" rerod. The refacing will have a maximum thickness of 12" and will be sloped on the lakeward side. A 13" wide concrete walkway will be constructed on top and landward of the lakeward face of the refaced wall. Details of the project are contained in information received electronically at the Division of Water on

October 4, 2007 and in plans and information received at the Division of Water on

Location : 10279 South Edgewater Street; Lot 15 Courtland Park

near Silver Lake, Lake Township, Kosciusko County

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Rule, 312 IAC 11

Application # : PL-20893

Lake : Round Lake

Applicant : Tim Woenker

1921 Dell Cove Drive

Fort Wayne, IN 46804-1415

Description : An existing poured in place concrete seawall will be refaced across a portion of

the 50' frontage of the applicant on Round lake (in Tri-Lakes) Lake to prevent deterioration. The refacing will consist of poured in place concrete which will be tied to the existing wall with 1/2" rerod. The refacing will have a maximum thickness of 12" and will be sloped on the lakeward side. A 24" wide concrete walkway will be constructed on top and landward of the lakeward face of the refaced wall. Details of the project are contained in information received electronically at the Division of Water on October 4, 2007 and in plans and

information received at the Division of Water on

Location : 3485 East Magley Lane

near Columbia City, Thorncreek Township, Whitley County

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake